Lesson learnt from COVID-19 and the prerequisite from the perspective of SME identified to respond to public health emergency

> ZANZIBAR PERSPECTIVE MOHAMED H. ALI

Did you see any decreases in outpatient department OPD. If yes, what did you do to mitigate this?

- During the first wave of COVID 19 in Zanzibar between March-May 2020.
 - The OPD declined from 209,653 in February to 142,357 in May 2020
 - Number of patients tested for malaria decreased from 65,149 in February to 39,018 in May 2020

Mitigation to rescue the situation

- Health education on COVID 19 and malaria provided to health care workers and community
- Distribution of PPE to health care workers and community
- Re-distribution of essential commodities to health facilities such as mRDT and ACTs

Did COVID 19 increase malaria mortality?

 No any increase of malaria mortality observed during the COVID19 though the country reported more malaria cases in 2020 (20) compared to 2019 (13) Do we have any clear steps that can help mitigate measurement challenges any future public health emergency?

- There is a guideline for health care workers and council Malaria Surveillance Officers on provision of Malaria Case Management Services in the context of the COVID-19 Pandemic in Zanzibar.
- Multi sectoral task force established to ensure that they deal with existing sectoral issues during pandemic
- Establishment of patient triage in health facilities
- Setting of sentinel sites for COVId-19 sample collection for community
- Strengthening case management for COVID patients