Success Story of Malaria Elimination in the IR Iran,



RBM VCWG-15 meeting, Geneva, Feb. 2010

Ahmad Raeisi,

Associate Professor of Medical Epidemiology, Tehran University of Medical Sciences









Update on malaria by case classification in Iran





Malaria cases by species in Iran





Origin of imported cases detected in Iran




Nationality	2018	2017	2016	2015	Total
Afghan	322	613	348	281	1564
Pakistani	107	147	142	156	552
Iranian	170	166	199	355	890
Other/Not known	26	13	16	9	40
Total	625	939	705	801	3046

^{*}Imported cases include nationals of the country reporting.

Map or table of stratification in Iran



Risk of re-establishment of transmission



Surveillance and response in Iran



Case detection

- 1. Proactive
- 2. Passive
- 3. Reactive
- 4. Intensified
- Notification
- ✓ Prompt notification for confirmed malaria case
- Case investigation and classification:

All cases investigated, classified and notified to upper levels, within 24-48 hours(using easy /user friendly mobile application in the field)


Special populations:

- 1. Fuel smugglers
- 2. Seasonal unregistered foreign workers
- 3. Border guards
- 4. Working groups in Africa (specialized staff assigned)
- 5. Travellers to Africa, tourists, traders, diplomat, etc

- ✓ Intensified case detection, Proactive IRS, LLIN distribution(1-2)
- Education on self care against mosquito biting, malaria symptoms, screening in border posts, Chemoprophylaxis (3-5)

Malaria in border areas of Iran






VC Interventions are very targeted:



It includes both Proactive and Reactive Interventions mainly based on Malaria active foci in an elimination setting:



Challenges and bottlenecks in elimination/prevention of re-establishment



Major concerns

- Unfair US Sanctions
- Population movement and cross border mobility
- Advocacy is not easy due to low number of malaria cases
- Malaria is no more in priority list of diseases for medical Practitioners and health professionals
- Insecticide Resistance
- Potential regional crisis/instability
- Potential Risk of Aedes-borne diseases



Thank you for attention

